



# Material Safety Data Sheet

## Section 1. Chemical Product and Company Identification

<b>Product Name/Trade Name</b>	<b>Ultra Bleach Lemon Scent</b> Ref#40000024
<b>Manufacturer:</b>	KIK CUSTOM PRODUCTS 2921 Corder Street Houston Texas 77054
<b>Contact Number:</b>	Tel: 905-660-0444
<b>24 Hour Emergency Contact:</b>	1-800-255-3924
<b>Prepared By:</b>	KIK CUSTOM PRODUCTS Laboratory
<b>Date Last Revised:</b>	<b>November 28, 2008</b>
<b>Replaces Date:</b>	October 31, 2007

## Section 2. Hazardous Ingredients

Name	%	CAS#	LD50/LC50
Sodium Hypochlorite	6.0 - 7.0	7681-52-9	5800 mg/kg / >10500 mg/m <sup>3</sup> (1hr)
Sodium Hydroxide	>1.0%	1310-73-2	40 mg/Kg (IPR-mouse)/ N/A

## Section 3. Physical Data

<b>State</b>	Liquid	<b>pH</b>	12.6 maximum
<b>Appearance</b>	Clear Colorless	<b>% Volatile</b>	93% Approx.
<b>Odour</b>	Chlorine/Lemon	<b>Boiling Point</b>	100°C
<b>Specific Gravity</b>	1.080	<b>Vapour Pressure</b>	N Av
<b>Solubility</b>	100%		

## Section 4. Fire & Explosion

<b>Flammable:</b>	YES	NO	X
<b>Means of Extinction:</b>	Water, Carbon Dioxide, Dry Chemical or Foam		
<b>Special Procedures:</b>	Fire fighters should wear self-contained breathing apparatus.		
<b>Flash Point: &amp; Method:</b>	Not Applicable		
<b>Hazardous Combustion Products:</b>	Chlorine Gas.		

## Section 5. Reactivity Data

<b>Chemical Stability:</b>	YES	X	NO
<b>Conditions:</b>	Temperature above 40 °C, sunlight and metals,		
<b>Incompatibility:</b>	YES	X	NO
<b>What Substances?:</b>	Acids, ammonia, ether, urea, oxidizable materials, soaps, oils, greases, phenolic disinfectants and metals, including nickel, copper, tin, aluminum and iron		
<b>Reactivity / Conditions:</b>	Not Applicable		
<b>Hazardous Decomposition Products:</b>	Chlorine gas released by contact with acids. Contact with ammonia or urea produces nitrogen gas and chloramines. Polychlorinated phenols -- from contact with phenolic		



disinfectants. Oxygen is released on contact with metals.

## ULTRA BLEACH LEMON SCENT

### Section 6. Toxicological Properties

#### Route of Entry

Skin Contact	X	Skin Absorption	Eye Contact	X
Inhalation Acute	X	Inhalation Chronic	Ingestion	X

**Effects of Acute Exposure:** Inhalation of vapours will irritate breathing passages and may cause breathing difficulty. CORROSIVE will cause sever irritation to eyes and skin. May cause permanent damage if not treated properly. Ingestion can cause corrosion of mucous membranes, severe esophageal burns and perforation of esophagus or stomach.

**Effects of chronic exposure:** Not Known.

**Carcinogenicity Reproductive Effects: Teratogenicity Mutagenicity:** Effects not known.

### Section 7. Preventative Measures

#### Protective Equipment

Gloves: Impervious PVC or Neoprene. Eyes: Chemical splash goggles. Face shield also helpful.

Respiratory: Not normally required. Footwear: Protect shoes and feet when using product for floor cleaning.

**LEAK AND SPILL PROTECTION:** Small spills: Dilute product by flooding area with large quantity of water and flush to sanitary sewer. Large spills: Contain run-off by diking with suitable material. Soak up liquid on inert absorbent and transfer to approved container. Prevent spill from entering sewers or waterways

**WASTE DISPOSAL:** Reclaim or dispose in accordance with local regulations.

**STORAGE REQUIREMENTS:** Store in a cool, dry and well-ventilated area.

### Section 8. First Aid Measures

**Skin:** Wash with soap and water

**Eyes:** Flush eyes with cool running water holding eyelids apart to ensure thorough rinsing for 15 minutes. Remove contact lenses. See a doctor immediately.

**Inhalation:** Move to fresh air and restore breathing, if required. See a doctor immediately.

**Ingestion:** DO NOT INDUCE VOMITING! Drink large amounts of water or milk. Do not give anything by mouth to a convulsing or unconscious person. See a doctor immediately.

**General Advice:** If irritation occurs, see a doctor immediately.

### Section 9. Regulatory Information

<b>WHMIS Rating:</b> Health Hazard	2
Fire Hazard	0
Reactivity	2

**DOT:** Non-regulated

As the handling and use of products under user's conditions are beyond our control, no warranty, expressed or implied, is made concerning this product. The information contained herein is offered only as a guide to the handling of this specific material and is not intended to be all-inclusive in the manner and conditions of use and handling. The user assumes all risks of use or handling, whether or not in accordance with any directions or



suggestions of the manufacturer. Manufacturer shall not be liable to purchaser or any other person for loss or damages directly or indirectly arising from the use of our product.